Headers

Distribution Boxes







WIND RESISTANCE	BY NOZZLE		
SPLASH	BY NOZZLE		
NOISE LEVEL	BY NOZZLE		
VISIBILITY	BY NOZZLE		
WATER APPEARANCE	BY NOZZLE		
WATER LEVEL DEPENDENT	BY NOZZLE		
FLOW STRAIGHTENER VANE	BY NOZZLE		
BALL JOINT / SWIVEL FLANGE	NO		





Distribution boxes are made of cast and machined brass. They are specially designed to put cover on different nozzles that (depending on type and situation) will create various ornamental water effects. Cover could be produced undrilled and unthreaded or completely drilled and threaded by customer requirements.




Design Studio & Workshop • Unit 4, 33 Jade Drive Molendinar 4214 Ph • +617 5597 5882

- E info@techno-waterdesigns.com.au
- W www.techno-waterdesigns.com.au

DISTRIBUTION BOX							
Reference	DB 21328	DB 22 5 1	DB 23005				
		1					
Nr. of threaded holes	by order	by order	by order				
Connection	G 1¼" H	G2½"H	G 3" H by order				
Threaded hole type	by order	by order					
Material	Brass	Brass	Brass				
Weight kg	1,70	7,00	12,00				

MACHINED COVERS - DRILL & THREAD			THREADED DRILLS MAXIMUM CAPACITY - EX.(*)			
REFERENCE	DESCRIPTION	ľ	Distribution box reference DB 21328	Distribution	Distribution	
DB 23815	Drill & thread G3/8" (1 unit)			box reference DB 22511	box reference DB 23005	
DB 21216	Drill & thread G1/2" (1 unit)					
DB 23411	Drill & thread G3/4" (1 unit)		6 of 3/8"	19 of 1/2"	31 of 1/2"	
DB 21014	Drill & thread G1" (1 unit)	ľ				
DB 21317	Drill & thread G1 ¼" (1 unit)		6 of 1/2"	1 of 1" & 18 of 1/2"	13 of 1"	
DB 21519	Drill & thread G1 ½"(1 unit)					
DB 22015	Drill & thread G2" (1 unit)		1 of 1" & 6 of 1/2"	7 of 1"	1 of 1 ½" & 12 of 1"	



It is extremely recommended to put flow regulation valves under each installed nozzle.

(*)This table contends just the most common possibilities of combinations. Others combinations can be considered

Only water use, NOT electrical use. CHROME OPTION: SAME REFERENCE NUMBER ENDING WITH "C"

P

Measures in mm.